

NatuGena GmbH

Münchenerstraße 149
85051 Ingolstadt

Our sign: HKr

Date: 06.10.2026

Confirmation of analysis

Product: Bor

260805442

Product group: food supplement**Begin/end of analysis:** 29.09.2026 / 06.10.2026

The parameters listed below were analysed in the named sample.

This certificate refers to the certificate of analysis: 26048482-001

Lead	Total Plate Count	Pesticides, GC-MS/MS
Cadmium	Yeasts	Pesticides, LC-MS/MS
Mercury	Moulds	
Arsenic	Enterobacteriaceae	
Boron	E. coli	
	Salmonella	

Assessment:

Regarding the determined levels of lead, cadmium and mercury, the sample complies with the maximum levels for food supplements laid down in Regulation (EU) 2023/915 (Cat. 3.1.28; 3.2.21; 3.3.2).

Result of boron analysis meets the details of the nutrition labelling regarding the tests carried out (cf. Guidance document of the EU Commission with regard to the setting of tolerances for nutrient values declared on a label in food supplements from December 2012).

Results of microbiological analysis are unobjectionable regarding the tests carried out.

This confirmation was generated automatically and is valid without signature.

The confirmation of analysis may be published in an unchanged, unabridged version and refers exclusively to the test report mentioned. This confirmation of analysis does not replace the test report. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions. Any liability arising from the unauthorized use and in particular publication of this confirmation is excluded.