

08.07.2026

Certificate of Analysis

From 26.06.2026 to 05.07.2026 we examined on behalf of company NatuGena GmbH, Münchner Straße 149, 85051 Ingolstadt with our test report number 3815256-198347 with the sample code "HeridiumAktiv, Heridium (Vitalpilz) & Boswelliasäure" for the following parameters:

- | | |
|---|---|
| • Aerobic mesophilic plate count (total plate count) | • Lead (Pb) |
| • Arsenic (As) | • Mercury (Hg) |
| • Cadmium (Cd) | • Moulds |
| • Clostridium perfringens | • Presumptive Bacillus cereus |
| • Enterobacteriaceae | • Salmonella spp |
| • Escherichia coli | • Staphylococcus, coagulase-positive |

With regard to the above-mentioned, investigated parameters and taking into account the measurement uncertainties, tolerances, processing procedures and the currently applicable limits/recomm. values, the analyzed sample (test item) was found according to the above mentioned test report from our point of view as marketable in Germany.

The complete statement on conformity including the applied decision rule is documented in the above-mentioned test report.



Service-Team L3

E-Mail serviceteaml3.lufa@agrolab.de

Group leader: Maïke von Fintel

Food chemist/counter-sampling expert

This Certificate of Analysis may be published by you in unaltered, unabridged form. The date of the Certificate of Analysis must also be stated.

Any other use and in particular duplication of this Certificate of Analysis is not permitted. This certificate of analysis does not replace the test report and is only valid in connection with this report. Any liability arising from improper use and in particular duplication of this Certificate of Analysis is excluded.

Incidentally, our General Terms and Conditions apply: <https://www.agrolab.com/de/agb>