

13.02.2026

## Certificate of Analysis

From 09.12.2025 to 15.12.2025 We examined on behalf of company NatuGena GmbH, Herr Alexander Martens, Münchner Straße 149, 85051 Ingolstadt with our test report number 3714096-833347 with the sample code "Vitamin C, " for the following parameters:

- Aerobic mesophilic plate count (total plate count)
- Arsenic (As)
- Cadmium (Cd)
- Enterobacteriaceae
- Escherichia coli
- L-ascorbic acid (vitamin C)
- Plant protection products (in a scope known to the customer)
- Lead (Pb)
- Mercury (Hg)
- Moulds
- Salmonella spp
- Staphylococcus, coagulase-positive
- Yeasts

**With regard to the above-mentioned, investigated parameters and taking into account the measurement uncertainties, tolerances, processing procedures and the currently applicable limits/recomm. values, the analyzed sample (test item) was found according to the above mentioned test report from our point of view as marketable in Germany**

The complete statement on conformity including the applied decision rule is documented in the above-mentioned test report.



**Service-Team L3**  
**E-Mail [serviceteam13.lufa@agrolab.de](mailto:serviceteam13.lufa@agrolab.de)**  
**Group leader: Maike von Fintel**  
**Food chemist/counter-sampling expert**

This Certificate of Analysis may be published by you in unaltered, unabridged form. The date of the Certificate of Analysis must also be stated.

Any other use and in particular duplication of this Certificate of Analysis is not permitted. This certificate of analysis does not replace the test report and is only valid in connection with this report. Any liability arising from improper use and in particular duplication of this Certificate of Analysis is excluded.

Incidentally, our General Terms and Conditions apply: <https://www.agrolab.com/de/agb>